




**NOTES**


1. Work shall be in accordance with TCCS Standard Specification for Urban Infrastructure Works
2. Implement approved construction management plans (Trees, Landscape, Traffic, Environmental)
3. Read Drawings in conjunction with relevant specifications, contracts and statutory approval conditions
4. Locate services (existing, redundant and designed) prior to works commencing
5. Provide samples of all nominated materials for approval
6. Confirm supplier information for all nominated plant material
7. Disturbance and damage to retained features to be rectified to at least pre-work conditions
8. Figured dimensions take precedence to scaled measurements
9. Drawings to be used only for stated project and issue status




1 DETAIL: PAVING TYPE 1/2 - CONCRETE (P1/P2)  
SCALE: 1:10@A1 - 1:20@A3




2 DETAIL: PAVING TYPE 3 - STONE PAVING (P3)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: PAVING TYPE 4 - GRAVEL (P4)  
SCALE: 1:10@A1 - 1:20@A3




8 DETAIL: TYPICAL SOFTFALL INTERFACE (RUBBER AGAINST PAVING)  
SCALE: 1:10@A1 - 1:20@A3




4 DETAIL: DOWELLED EXPANSION JOINT (DEJ)  
SCALE: 1:10@A1 - 1:20@A3




5 DETAIL: EXPANSION JOINT (EJ)  
SCALE: 1:10@A1 - 1:20@A3




6 DETAIL: SAWN CONTROL JOINT (SCJ)  
SCALE: 1:10@A1 - 1:20@A3




7 DETAIL: SOFTFALL TYPE 1 - RUBBER (SF1)  
SCALE: 1:10@A1 - 1:20@A3




9 DETAIL: SOFTFALL TYPE 2 - ORGANIC (SF2)  
SCALE: 1:10@A1 - 1:20@A3




10 DETAIL: SOFTFALL TYPE 3 - SAND (SF3)  
SCALE: 1:10@A1 - 1:20@A3




11 DETAIL: TYPICAL SOFTFALL INTERFACE (RUBBER TO ORGANIC/SAND)  
SCALE: 1:10@A1 - 1:20@A3




11 DETAIL: TYPICAL SOFTFALL FOOTHOLDS (FH)  
SCALE: 1:10@A1 - 1:20@A3




1 DETAIL: EDGE TYPE 1a - CONCRETE (E1a)  
SCALE: 1:10@A1 - 1:20@A3



2 DETAIL: EDGE TYPE 2 - SANDSTONE TERRACING (E2)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: EDGE TYPE 3 - INFORMAL STONE (E3)  
SCALE: 1:10@A1 - 1:20@A3




4 DETAIL: EDGE TYPE 4 - TIMBER STEPS / TERRACING (E4)  
SCALE: 1:10@A1 - 1:20@A3

- NOTES:
- MINIMUM 20mm CHAMFER TO TOPS OF STEPPERS
  - GAPS BETWEEN STEPPERS SHOULD NOT BE POTENTIAL FOOT ENTRAPMENT SIZE (35-70mm). THESE OPENINGS SHALL BE <30mm IN AT LEAST ONE DIMENSION, <80mm IN BOTH DIMENSIONS.
  - ANY FOOT ENTRAPMENTS TO BE FILLED WITH SUITABLE MATERIAL


- NOTES:
- W1A WALLS - NOMINALLY 150mm TO 600mm ABOVE GROUND LEVEL
  - W1B WALLS - NOMINALLY 600mm TO 950mm ABOVE GROUND LEVEL




5 DETAIL: WALL TYPE 1 - CONCRETE RETAINING (W1A/B)  
SCALE: 1:10@A1 - 1:20@A3




6 DETAIL: WALL TYPE 2 - INFORMAL BOULDER (W2)  
SCALE: 1:20@A1 - 1:40@A3




7 DETAIL: EDGE TYPE 1b - CONCRETE (E1b)  
SCALE: 1:10@A1 - 1:20@A3




1 DETAIL: TYPICAL DECIDUOUS TREE PLANTING  
SCALE: 1:25@A1 - 1:50@A3




2 DETAIL: TYPICAL NATIVE TREE PLANTING  
SCALE: 1:25@A1 - 1:50@A3




3 DETAIL: TYPICAL SHRUB PLANTING  
SCALE: 1:10@A1 - 1:20@A3




6 DETAIL: SOAKAGE PIT (SP)  
SCALE: 1:20@A1 - 1:40@A3




4 DETAIL: TYPICAL TERRACED PLANTING  
SCALE: 1:10@A1 - 1:20@A3




5 DETAIL: TIMBER STEPPERS TYPE 1- LOG STEPPERS (TS1)  
SCALE: 1:10@A1 - 1:20@A3




1 DETAIL: TYPICAL STAIRS TYPE 1a - CONCRETE (ST1a)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: TYPICAL STAIRS TYPE 1c - CONCRETE (ST1c)  
SCALE: 1:10@A1 - 1:20@A3




2 DETAIL: TYPICAL STAIRS TYPE 1b - CONCRETE (ST1b)  
SCALE: 1:10@A1 - 1:20@A3




1 PLAN: TYPICAL STAIRS TYPE 2a - CONCRETE (ST2a)  
SCALE: 1:25@A1 - 1:50@A3




3 SECTION: TYPICAL STAIRS TYPE 2a - CONCRETE (ST2a)  
SCALE: 1:10@A1 - 1:20@A3




5 PLAN: TYPICAL STAIRS TYPE 2c - CONCRETE (ST2c)  
SCALE: 1:25@A1 - 1:50@A3




2 PLAN: TYPICAL STAIRS TYPE 2b - CONCRETE (ST2b)  
SCALE: 1:25@A1 - 1:50@A3




4 SECTION: TYPICAL STAIRS TYPE 2b - CONCRETE (ST2b)  
SCALE: 1:10@A1 - 1:20@A3




6 SECTION: TYPICAL STAIRS TYPE 2c - CONCRETE (ST2c)  
SCALE: 1:10@A1 - 1:20@A3




1 PLAN: TYPICAL STAIRS TYPE 2d - CONCRETE (ST2d)  
SCALE: 1:25@A1 - 1:50@A3




3 SECTION: TYPICAL STAIRS TYPE 2d - CONCRETE (ST2d)  
SCALE: 1:10@A1 - 1:20@A3



2 PLAN: TYPICAL STAIRS TYPE 2e - CONCRETE (ST2e)  
SCALE: 1:25@A1 - 1:50@A3







4 SECTION: TYPICAL STAIRS TYPE 2e - CONCRETE (ST2e)  
SCALE: 1:10@A1 - 1:20@A3



5 DETAIL: STAIRS TYPE 5 - STONE SCRAMBLE (ST5)  
SCALE: 1:10@A1 - 1:20@A3







1 DETAIL: STAIRS TYPE 4a - TIMBER SCRAMBLE (ST4a)  
SCALE: 1:20@A1 - 1:40@A3

2 DETAIL: STAIRS TYPE 4b - TIMBER SCRAMBLE (ST4b)  
SCALE: 1:20@A1 - 1:40@A3



NOTE: FINAL TEXT TO BE CONFIRMED BY LANDSCAPE ARCHITECT - NAME SUBJECT TO CHANGE AT DISCRETION OF CLIENT




1 PLAN: ENTRY SIGNAGE - EMBEDDED INTO CONCRETE FOOTPATH  
SCALE: 1:25@A1 - 1:50@A3




2 DETAIL: ENTRY SIGNAGE - EMBEDDED INTO CONCRETE FOOTPATH  
SCALE: 1:2@A1 - 1:4@A3




3 DETAIL: WATER TAP CONNECTION (TAP)  
SCALE: 1:10@A1 - 1:20@A3




1 PLAN: CUSTOM PLAY EQUIPMENT - WATER CHANNEL (CPE3)  
SCALE: 1:10@A1 - 1:20@A3



3 DETAIL: TYPICAL CHANNEL PROFILE AND DECORATIVE PEBBLE INSTALLATION  
SCALE: 1:5@A1 - 1:10@A3




2 SECTION: CUSTOM PLAY EQUIPMENT - WATER CHANNEL (CPE3)  
SCALE: 1:20@A1 - 1:40@A3




4 DETAIL: PROPRIETARY PLAY EQUIPMENT - WEIR (PE15) INSTALLATION  
SCALE: 1:5@A1 - 1:10@A3


NOTE: DESIGN AND CONSTRUCT ITEM . INDICATIVE CONCEPT ONLY. CONTRACTOR IS RESPONSIBLE FOR DESIGN OF FINISHED PRODUCT BASED ON CONCEPT, ENSURING PRODUCT IS SITE SUITABLE AND FIT FOR PURPOSE. ENSURE FENCING COMPLIES WITH AS 4685 2014. ENSURE ALL CORNERS AND EDGES ARE ROUNDED TO 3MM RADIUS AND FREE FROM SHARPS AND BURS




1 PLAN: TYPICAL PLAY ELEMENT BARRIER - TIMBER FEATURE SCREEN (PBa/b/c)  
SCALE: 1:20@A1 - 1:40@A3



3 DETAIL: TYPICAL PLAY ELEMENT BARRIER - TIMBER FEATURE SCREEN POST AND PICKET (PBa)  
SCALE: 1:10@A1 - 1:20@A3




2 DETAIL: TYPICAL PLAY ELEMENT BARRIER - TIMBER FEATURE SCREEN INSTALLATION (PBa)  
SCALE: 1:10@A1 - 1:20@A3




4 PERSPECTIVE: INDICATIVE TYPICAL PLAY ELEMENT BARRIER - TIMBER FEATURE SCREEN (PBa/b/c)  
SCALE: 1:10@A1 - 1:20@A3


NOTE: DESIGN AND CONSTRUCT ITEM . INDICATIVE CONCEPT ONLY. CONTRACTOR IS RESPONSIBLE FOR DESIGN OF FINISHED PRODUCT BASED ON CONCEPT, ENSURING PRODUCT IS SITE SUITABLE AND FIT FOR PURPOSE. ENSURE FENCING COMPLIES WITH AS 4685 2014. ENSURE ALL CORNERS AND EDGES ARE ROUNDED TO 3MM RADIUS AND FREE FROM SHARPS AND BURS




1 DETAIL: TYPICAL PLAY ELEMENT BARRIER TYPE B - TIMBER FEATURE SCREEN POST AND PICKET (PBb)  
SCALE: 1:10@A1 - 1:20@A3



2 DETAIL: TYPICAL PLAY ELEMENT BARRIER TYPE C - CLIMBING ROPE CONNECTION (PBc)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: TYPICAL PLAY ELEMENT BARRIER TYPE B - TIMBER FEATURE SCREEN POST AND PICKET INSTALLATION (PBb)  
SCALE: 1:10@A1 - 1:20@A3




4 DETAIL: TYPICAL PLAY ELEMENT BARRIER TYPE C - TIMBER FEATURE SCREEN POST AND PICKET/EXTENDED ROD (PBc)  
SCALE: 1:10@A1 - 1:20@A3


NOTE: DESIGN AND CONSTRUCT ITEM . INDICATIVE CONCEPT ONLY. CONTRACTOR IS RESPONSIBLE FOR DESIGN OF FINISHED PRODUCT BASED ON CONCEPT, ENSURING PRODUCT IS SITE SUITABLE AND FIT FOR PURPOSE. ENSURE FENCING COMPLIES WITH AS 4685 2014. ENSURE ALL CORNERS AND EDGES ARE ROUNDED TO 3MM RADIUS AND FREE FROM SHARPS AND BURS





1 DETAIL: TYPICAL PROPRIETARY FURNITURE - (F1-F4) IN EXISTING PAVING  
SCALE: 1:10@A1 - 1:20@A3





2 DETAIL: TYPICAL PROPRIETARY FURNITURE - (F1-F4) IN STONE PAVING (P3)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: TYPICAL PROPRIETARY FURNITURE - BENCH (F3) IN CONCRETE PAVING (P1)  
SCALE: 1:10@A1 - 1:20@A3





1 DETAIL: TYPICAL PROPRIETARY FURNITURE - BENCH (F2/F3) IN RUBBER SOFTFALL (SF1)  
SCALE: 1:10@A1 - 1:20@A3



2 DETAIL: PROPRIETARY FURNITURE - BIN ENCLOSURE (F5a/b) IN CONCRETE PAVING (P2)  
SCALE: 1:10@A1 - 1:20@A3




1 DETAIL: PROPRIETARY FURNITURE TYPE 2 (F2) IN ORGANIC SOFTFALL (SF2)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: PROPRIETARY FURNITURE - BENCH (F6) IN DECOMPOSED GRANITE GRAVEL (P4)  
SCALE: 1:10@A1 - 1:20@A3





- NOTES**
1. CONTRACTOR TO CONFIRM ALL FOOTING DETAILS WITH FURNITURE MANUFACTURER
  2. CONTRACTOR TO CONFIRM INSTALLATION REQUIREMENTS WITH MANUFACTURER




2 DETAIL: PROPRIETARY FURNITURE - DRINKING FOUNTAIN (DF) STONE PAVING (P3)  
SCALE: 1:10@A1 - 1:20@A3




4 DETAIL: PROPRIETARY FURNITURE - DRINKING FOUNTAIN (DF) CONCRETE PAVING (P1)  
SCALE: 1:10@A1 - 1:20@A3




1 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO2) IN GRASS (GR1/2)  
SCALE: 1:10@A1 - 1:20@A3




2 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO2) IN GRASS (GR1/2)  
SCALE: 1:10@A1 - 1:20@A3




3 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO1) IN GRASS (GR1/2)  
SCALE: 1:10@A1 - 1:20@A3



4 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO1) IN GARDEN BED  
SCALE: 1:10@A1 - 1:20@A3






5 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO2) IN GRASS (GR1/GR2)  
SCALE: 1:10@A1 - 1:20@A3



6 DETAIL: PROPRIETARY FURNITURE - BOLLARD (BO2) IN GARDEN BED  
SCALE: 1:10@A1 - 1:20@A3

NOM Ø600mm PIER FOOTINGS. DIMENSION, REINFORCEMENT AND CONCRETE STRENGTH TO ENGINEER'S REQUIREMENTS

PROPRIETARY SHELTER (SS3)



1 DETAIL: PROPRIETARY SHADE STRUCTURE TYPE 3 - MODULAR SHELTER INSTALLATION (SS3)  
SCALE: 1:10@A1 - 1:20@A3

