THIS PAGE IS INTENTIONALLY LEFT BLANK

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (UM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (H) — BLOCKS OF 500-549m² (REFER TO SECTION 4.14)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- (G) — MANDATORY REAR LANE GARAGE LOCATIONS (REFER TO SECTION 4.20)
- NO VEHICULAR ACCESS (REFER TO SECTION 4.17)
- 425m² — BLOCK AREA (m²)
- 16.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.



ISSUE	DATE	AMENDMENT DETAILS
A		
B		
C		
D		
E		
F		

SCALE (METRES) 5 0 5 10 15 20 25 — 1:1000

CLIENT: ACT Land Development Agency | DIS

THROSBY ESTATE
STAGE 1

CONSULTANTS: taft | waddington — calibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 1

DRAWING NUMBER: C13178-BDP1

AMEND.

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.18)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SY) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (M) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

AMENDMENT DETAILS
A
B
C
D
E
F

SCALE (METRES) 5 0 5 10 15 20 25

1:1000

CLIENT: MT | DS

THROSBY ESTATE
STAGE 1

CONSULTANTS: tait | waddington — callibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 2

DRAWING NUMBER: C13178-BDP2

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.18)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (H) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.



CODE	AMENDMENT DETAILS

SCALE (METRES) 5 0 5 10 15 20 25 — 1:1000

CLIENT

THROSBY ESTATE
STAGE 1

CONSULTANTS

talt | waddington

calibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 3

DRAWING NUMBER: C13178-BDP3

AMEND.


LEGEND
STORMWATER EASEMENT
DRIVEWAY LOCATION (SUBJECT TO CHANGE)
POTENTIAL DRIVEWAY LOCATION
FOOTPATH
BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
CORNER BLOCK (REFER TO SECTION 4.10)
SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
COURTYARD WALL (REFER TO SECTION 4.12)
625m² BLOCK AREA (m²)
15.1 BLOCK DIMENSIONS
3 MULTI-UNIT MINIMUM BOUNDARY SETBACK (REFER TO SECTION 4.14)
6 MULTI-UNIT MINIMUM BOUNDARY SETBACK (REFER TO SECTION 4.14)
STAGE BOUNDARY
NOTES
1. CONTOUR INTERVAL IS 0.5m
DISCLAIMER
THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.
61
ROAD 01
ROAD 05
ROAD 01
OPEN SPACE
2
MU(ZS)
9295 m²
ROAD 03
60
437 m²
ROAD 01
OPEN SPACE
ROAD 03
ROAD 06
59
ROAD 03
1
31
30
29
27
26
25
1
2
3
AMENDMENT DETAILS
SCALE (METRES)
5 0 5 10 15 20 25
1:1000
CLIENT
ACT
THROSBY ESTATE
STAGE 1
CONSULTANTS
tait | waddington
calibre
DRAWING TITLE
BLOCK DETAILS PLAN SHEET 4
DRAWING NUMBER
C13178-BDP4
AMEND.

LEGEND
STORMWATER EASEMENT
DRIVEWAY LOCATION (SUBJECT TO CHANGE)
POTENTIAL DRIVEWAY LOCATION
FOOTPATH
BAL 12.5
BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.18)
N
BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
LIN
LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.10)
C
CORNER BLOCK (REFER TO SECTION 4.19)
S
SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.19)
SV
SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
H
BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
F
COURTYARD WALL (REFER TO SECTION 4.12) COURTYARD WALL CAN BE EXTENDED ALONG THE BOUNDARY TO THE MINIMUM SETBACK OF ANY STREET FRONTAGE, UNLESS THE SETBACK FROM THE BOUNDARY TO START OF WALL IS SHOWN ON THE PLANS.
M
MANDATORY REAR LANE GARAGE LOCATIONS (REFER TO SECTION 4.21)
A1 A1 A1
ACOUSTIC COURTYARD WALL 1 (REFER TO SECTION 4.18)
x m
MINIMUM SETBACK FROM BOUNDARY TO START OF WALL (m)
x m
MINIMUM LENGTH OF WALL (m)
NO VEHICULAR ACCESS (REFER TO SECTION 4.19)
425m²
BLOCK AREA (m²)
15.1
BLOCK DIMENSIONS
STAGE BOUNDARY
NOTES
1. CONTOUR INTERVAL IS 0.5m
DISCLAIMER
THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.
ROAD 03
ROAD 08
ROAD 50
ROAD 16
OPEN SPACE
1501 m²
ROAD 08
AMENDMENT DETAILS
SCALE (METRES)
5 0 5 10 15 20 25
1:1000
CLIENT
THROSBY ESTATE
STAGE 1
CONSULTANTS
taitt | waddington
callore CONSULTING
DRAWING TITLE
BLOCK DETAILS PLAN SHEET 5
DRAWING NUMBER
C13178-BDP5

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (L-M) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (M) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION IN THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.



ISSUE	REV	DR	CH	APP	DATE	AMENDMENT DETAILS
A						
B						
C						
D						
E						
F						

SCALE (METRES) 5 0 5 10 15 20 25

1:1000

CLIENT: ACT Government

THROSBY ESTATE
STAGE 1

CONSULTANTS: tait | waddington; calibre consultants

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 6

DRAWING NUMBER: C13178-BDP6

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LDV) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.15)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (M) — BLOCKS OF 500-549m² (REFER TO SECTION 4.14)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 16.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

ISSUE	DATE	AMENDMENT DETAILS
A		
B		
C		
D		
E		
F		

SCALE (METRES) 5 0 5 10 15 20 25 — 1:1000

CLIENT: ACT Government | LDA

THROSBY ESTATE
STAGE 1

CONSULTANTS: taft | waddington; callibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 7

DRAWING NUMBER: C13178-BDP7

AMEND.

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (H) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER
THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

AMENDMENT DETAILS

SCALE (METRES)
5 0 5 10 15 20 25
1:1000

CLIENT

THROSBY ESTATE
STAGE 1

tait | waddington
callibre

BLOCK DETAILS PLAN
SHEET 8

C13178-BDP8

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LPI) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.12)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (M) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.17) COURTYARD WALL CAN BE EXTENDED ALONG THE BOUNDARY TO THE MINIMUM SETBACK OF ANY STREET FRONTAGE, UNLESS THE SETBACK FROM THE SECONDARY TO START OF WALL IS SHOWN ON THE PLANS.
- A1 A1 A1 — ACOUSTIC COURTYARD WALL 1 (REFER TO SECTION 4.18)
- x m(b) — MINIMUM SETBACK FROM BOUNDARY TO START OF WALL (b)
- x m(l) — MINIMUM LENGTH OF WALL (m)
- 425m² — BLOCK AREA (m²)
- 16.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

DRN	CHKD	APP'D	DATE	AMENDMENT DETAILS
A				
B				
C				
D				
E				
F				

SCALE (METRES) 5 0 5 10 15 20 25

1:1000

CLIENT

ACT Government | LDA

THROSBY ESTATE

STAGE 1

CONSULTANTS

talt | waddington

calibre CONSULTING

DRAWING TITLE

BLOCK DETAILS PLAN SHEET 9

DRAWING NUMBER

C13178-BDP9

AMEND.

LEGEND

- STORMWATER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.15)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (M) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12)
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

AMENDMENT DETAILS	SCALE (METRES) 5 0 5 10 15 20 25 — 1:1000	CLIENT	PROJECT: THROSBY ESTATE STAGE 1	CONSULTANTS: tait | waddington; calibre	DRAWING TITLE: BLOCK DETAILS PLAN SHEET 10	DRAWING NUMBER: C13178-BDP10	AMEND.

LEGEND

- UTILITY MAINTENANCE ACCESS EASEMENT
- STORMWATER EASEMENT
- SEWER EASEMENT
- STORMWATER AND SEWER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LMH) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.11)
- (C) — CORNER BLOCK (REFER TO SECTION 4.10)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.8)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (N) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12) COURTYARD WALL CAN BE EXTENDED ALONG THE BOUNDARY TO THE MINIMUM SETBACK OF ANY STREET FRONTAGE, UNLESS THE SETBACK FROM THE BOUNDARY TO START OF WALL IS SHOWN ON THE PLANS.
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

AMENDMENT DETAILS	DATE

SCALE: 1:1000

CLIENT: LDA

THROSBY ESTATE
STAGE 2

CONSULTANTS: tait | waddington; calibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 11

DRAWING NUMBER: C13178.2-BDP11

AMEND.

LEGEND

- UTILITY MAINTENANCE ACCESS EASEMENT
- STORMWATER EASEMENT
- SEWER EASEMENT
- STORMWATER AND SEWER EASEMENT
- DRIVEWAY LOCATION (SUBJECT TO CHANGE)
- POTENTIAL DRIVEWAY LOCATION
- FOOTPATH
- BAL 12.5 — BUILDINGS TO BE CONSTRUCTED TO A MINIMUM STANDARD OF BUSHFIRE ATTACK LEVEL 12.5 (BAL-12.5) IN ACCORDANCE WITH AS 3959-2009 CONSTRUCTION OF BUILDINGS IN BUSHFIRE PRONE AREAS (REFER TO SECTION 4.8)
- (N) — BLOCKS NOT NOISE AFFECTED (REFER TO SECTION 4.9)
- (LIM) — LIMITED DEVELOPMENT POTENTIAL BLOCK (REFER TO SECTION 4.10)
- (C) — CORNER BLOCK (REFER TO SECTION 4.18)
- (S) — SECONDARY SIDE BOUNDARY (REFER TO SECTION 4.13)
- (SV) — SURVEILLANCE BLOCK (REFER TO SECTION 4.15)
- (W) — BLOCKS OF 500-549m² (REFER TO SECTION 4.16)
- (F) — COURTYARD WALL (REFER TO SECTION 4.12) COURTYARD WALL CAN BE EXTENDED ALONG THE BOUNDARY TO THE MINIMUM SETBACK OF ANY STREET FRONTAGE, UNLESS THE SETBACK FROM THE BOUNDARY TO START OF WALL IS SHOWN ON THE PLANS.
- 425m² — BLOCK AREA (m²)
- 15.1 — BLOCK DIMENSIONS
- — 3 — MULTI-UNIT MINIMUM BOUNDARY SETBACK (REFER TO SECTION 4.14)
- — 6 — MULTI-UNIT MINIMUM BOUNDARY SETBACK (REFER TO SECTION 4.14)
- STAGE BOUNDARY

NOTES

1. CONTOUR INTERVAL IS 0.5m.

DISCLAIMER

THE LAND DEVELOPMENT AGENCY MAKES NO WARRANTY REGARDING THE ACCURACY OR COMPLETENESS OF INFORMATION ON THIS PUBLICATION AND RECOMMENDS OBTAINING INDEPENDENT LEGAL ADVICE BEFORE CONSIDERING PURCHASING LAND OR MAKING AN OFFER TO PURCHASE LAND.

AMENDMENT DETAILS

SCALE (METRES) 5 0 5 10 15 20 25 — 1:1000

CLIENT: ACT

THROSBY ESTATE
STAGE 2

CONSULTANTS: tait | waddington — calibre CONSULTING

DRAWING TITLE: BLOCK DETAILS PLAN SHEET 12

DRAWING NUMBER: C13178.2-BDP12